

19



Europäisches Patentamt
European Patent Office
Office européen des brevets

11 Publication number:

0 077 175
A2

12

EUROPEAN PATENT APPLICATION

21 Application number: 82305313.7

22 Date of filing: 06.10.82

51 Int. Cl.³: **C 08 G 18/58, C 08 G 59/02,**
C 08 G 59/16, C 08 G 59/18,
C 08 L 75/04, C 08 G 59/40

30 Priority: 08.10.81 US 309732

43 Date of publication of application: 20.04.83
Bulletin 83/16

64 Designated Contracting States: **BE DE FR GB IT NL SE**

71 Applicant: **STAUFFER CHEMICAL COMPANY, Westport**
Connecticut 06880 (US)

72 Inventor: **DiSalvo, Anthony Leonard, 47 Byfield Avenue,**
Greenwich, CT 06830 (US)
Inventor: **Jun-Shen Yu, Arthur, East Bare Hill Road,**
Harvard, Ma 01451 (US)

74 Representative: **Smith, Sydney et al, High Holborn**
House 52/54 High Holborn, London WC1V 6SH (GB)

54 Compositions for forming poly(oxazolidone/urethane) thermosets and products therefrom.

57 A process for the production of a thermoset composition containing oxazolidone and urethane linkages characterised in that it comprises reacting a polyisocyanate and a prepolymer containing at least one terminal epoxy group and at least one non-terminal, secondary hydroxy group is disclosed.

A thermoset composition characterised in that it comprises oxazolidone and urethane linkages in the recurring unit which is substantially free of isocyanurate linkages, the said oxazolidone linkages being present in the polymer backbone and being separated from one another by ester linkages and the said urethane linkages being present in side chains attached to the polymer backbone is also disclosed.

The present invention offers advantages over the prior art.

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 700 563 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
02.09.1998 Bulletin 1998/36

(51) Int Cl.⁶: **G10L 5/06**

(86) International application number:
PCT/US94/05785

(21) Application number: **94918096.2**

(87) International publication number:
WO 94/28541 (08.12.1994 Gazette 1994/27)

(22) Date of filing: **23.05.1994**

(54) **ROBUST LANGUAGE PROCESSOR AND METHOD**

ROBUSTER SPRACHPROZESSOR UND VERFAHREN

PROCESSEUR DE LANGAGE ROBUSTE ET PROCEDE ASSOCIE

(84) Designated Contracting States:
CH DE FR GB LI

(30) Priority: **24.05.1993 US 66747**

(43) Date of publication of application:
13.03.1996 Bulletin 1996/11

(73) Proprietor: **UNISYS CORPORATION**
Blue Bell, PA 19424 (US)

(72) Inventors:
• **LINEBARGER, Marcia C.**
Upper Dublin Township, Ambler, PA 19002 (US)
• **NORTON, Lewis M.**
Paoli, PA 19301 (US)
• **DAHL, Deborah A.**
Norristown, PA 19401 (US)

(74) Representative: **Modiano, Guido, Dr.-Ing. et al**
Modiano, Josif, Pisanty & Staub,
Baaderstrasse 3
80469 München (DE)

(56) References cited:

- **INTERNATIONAL CONFERENCE ON ACOUSTICS, SPEECH AND SIGNAL PROCESSING 92, vol.1, 23 March 1992, SAN FRANCISCO, CA, US pages 197 - 200 TSUBOI ET AL. 'A real-time task-oriented speech understanding system using keyword spotting'**
- **IBM TECHNICAL DISCLOSURE BULLETIN, vol.28, no.6, November 1985, NEW YORK, US pages 2599 - 2601 'Determining the probability of words in a string with a word-skipping model'**
- **PROCEEDINGS OF THE DARPA SPEECH AND NATURAL LANGUAGE WORKSHOP, February 1992, US pages 299 - 304 SENEFF 'A relaxation method for understanding spontaneous speech utterances' cited in the application**
- **SYSTEMS AND COMPUTERS IN JAPAN, vol.20, no.10, October 1989, NEW YORK, US pages 85 - 94 KOBAYASHI ET AL. 'Linguistic processing in an island-driven speech understanding system'**
- **PROCEEDINGS OF THE DARPA SPEECH AND NATURAL LANGUAGE WORKSHOP, February 1992, US pages 305 - 310 STALLARD ET AL. 'Fragment processing in the DELPHI system' cited in the application**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

EP 0 700 563 B1

ROBUST LANGUAGE PROCESSOR AND METHOD

Publication number: EP0700563

Publication date: 1996-03-13

Inventor: LINEBARGER MARCIA C (US); NORTON LEWIS M (US); DAHL DEBORAH A (US)

Applicant: UNISYS CORP (US)

Classification:

- **International:** G10L15/18; G10L15/00; (IPC1-7): G10L5/06

- **European:** G10L15/18U

Application number: EP19940918096 19940523

Priority number(s): WO1994US05785 19940523; US19930066747 19930524

Also published as:


WO9428541 (A3)
WO9428541 (A2)
US5652897 (A1)
EP0700563 (A0)

Report a data error here

Abstract not available for EP0700563

Abstract of corresponding document: **WO9428541**

Apparatus and method are provided for segmenting (28), parsing (30), interpreting and formatting (38) the content of instructions such as air traffic control instructions. Output from a speech recognizer (14, 22) is so processed to produce such instructions in a structured format such as for input to other software. There are two main components: an instruction segmenter (28) and a robust parser (18, 30). In the instruction segmenter (28), the recognized text produced by the speech recognizer (14, 22) is segmented into independent instructions and each instruction is processed. The instruction segmenter (28) receives a recognized air traffic control or other instruction, and segments it into individual commands. Utterances or other language are thereby broken up into their component instructions by detecting probable instruction boundaries. If normal processing fails, then robust backup processing (34) is invoked, as a fallback after a fixed time per word has elapsed or a processing failure has occurred. The robust parser (18, 30) allows the system (10, 20) to extract information from utterances that are not necessarily well formed or may have extraneous comments in them.



Data supplied from the **esp@cenet** database - Worldwide



(12) **EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention
of the grant of the patent:
02.09.1998 Bulletin 1998/36

(21) Application number: **94918096.2**

(22) Date of filing: **23.05.1994**

(51) Int Cl.⁶: **G10L 5/06**

(86) International application number:
PCT/US94/05785

(87) International publication number:
WO 94/28541 (08.12.1994 Gazette 1994/27)

(54) **ROBUST LANGUAGE PROCESSOR AND METHOD**

ROBUSTER SPRACHPROZESSOR UND VERFAHREN

PROCESSEUR DE LANGAGE ROBUSTE ET PROCEDE ASSOCIE

(84) Designated Contracting States:
CH DE FR GB LI

(30) Priority: **24.05.1993 US 66747**

(43) Date of publication of application:
13.03.1996 Bulletin 1996/11

(73) Proprietor: **UNISYS CORPORATION**
Blue Bell, PA 19424 (US)

(72) Inventors:
• **LINEBARGER, Marcia C.**
Upper Dublin Township, Ambler, PA 19002 (US)
• **NORTON, Lewis M.**
Paoli, PA 19301 (US)
• **DAHL, Deborah A.**
Norristown, PA 19401 (US)

(74) Representative: **Modiano, Guido, Dr.-Ing. et al**
Modiano, Josif, Pisanty & Staub,
Baaderstrasse 3
80469 München (DE)

(56) References cited:

- **INTERNATIONAL CONFERENCE ON ACOUSTICS, SPEECH AND SIGNAL PROCESSING 92, vol.1, 23 March 1992, SAN FRANCISCO, CA, US pages 197 - 200 TSUBOI ET AL. 'A real-time task-oriented speech understanding system using keyword spotting'**
- **IBM TECHNICAL DISCLOSURE BULLETIN, vol.28, no.6, November 1985, NEW YORK, US pages 2599 - 2601 'Determining the probability of words in a string with a word-skipping model'**
- **PROCEEDINGS OF THE DARPA SPEECH AND NATURAL LANGUAGE WORKSHOP, February 1992, US pages 299 - 304 SENEFF 'A relaxation method for understanding spontaneous speech utterances' cited in the application**
- **SYSTEMS AND COMPUTERS IN JAPAN, vol.20, no.10, October 1989, NEW YORK, US pages 85 - 94 KOBAYASHI ET AL. 'Linguistic processing in an island-driven speech understanding system'**
- **PROCEEDINGS OF THE DARPA SPEECH AND NATURAL LANGUAGE WORKSHOP, February 1992, US pages 305 - 310 STALLARD ET AL. 'Fragment processing in the DELPHI system' cited in the application**

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 977 175 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
02.02.2000 Bulletin 2000/05

(51) Int Cl.7: **G10L 15/18**(21) Application number: **99305887.4**(22) Date of filing: **26.07.1999**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

- Suda, Aruna Rohra, c/o Canon Kabushiki Kaisha Tokyo (JP)
- Wakai, Masanori, c/o Canon Kabushiki Kaisha Tokyo (JP)

(30) Priority: **27.07.1998 JP 21097998**
15.07.1999 JP 20152899

(71) Applicant: **CANON KABUSHIKI KAISHA**
Tokyo (JP)


(72) Inventors:
• Yamamoto, Naoko, c/o Canon Kabushiki Kaisha
Tokyo (JP)

(74) Representative:
Beresford, Keith Denis Lewis et al
BERESFORD & Co.
High Holborn
2-5 Warwick Court
London WC1R 5DJ (GB)

(54) Method and apparatus for recognizing speech using a knowledge base

(57) An apparatus for recognizing sound information includes a sound recognition unit for recognizing sound information. A knowledge base stores knowledge concerning a type of data represented by the sound information. A prediction unit predicts the type of data represented by sound information to be subsequently recognized by checking the knowledge stored in the knowledge base. The sound recognition unit recognizes sound information to be subsequently recognized based on a prediction result obtained by the prediction unit. With this arrangement, the recognition accuracy is enhanced.

ognized by checking the knowledge stored in the knowledge base. The sound recognition unit recognizes sound information to be subsequently recognized based on a prediction result obtained by the prediction unit. With this arrangement, the recognition accuracy is enhanced.

**FIG. 3****EP 0 977 175 A2**

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 191 772 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
27.03.2002 Bulletin 2002/13

(51) Int Cl.7: H04M 3/51

(21) Application number: 01118833.1

(22) Date of filing: 10.08.2001

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 26.09.2000 US 670093

(71) Applicant: Rockwell Electronic Commerce
Corporation
Wood Dale, Illinois 60191 (US)

(72) Inventors:
• Shambaugh, Craig R.
Wheaton, Illinois 60187 (US)
• Dezonno, Anthony
Bloomington, Illinois 60108 (US)

- Power, Mark J.
Carol Stream, Allowance 60188 (US)
- Venner, Kenneth
Winfield, Illinois 60190 (US)
- Bluestein, Jared
Wilmot, New Hampshire 03287-0085 (US)
- Martin, Jim F.
Woodside, California 94062 (US)
- Hymel, Darryl
Batavia, Illinois 60510 (US)
- Williams, Laird C.
St. Charles, Illinois 60175 (US)


(74) Representative: Modiano, Guido, Dr.-Ing. et al
Modiano, Josef, Pisanty & Staub,
Baaderstrasse 3
80469 München (DE)

(54) **Presenting a script to be followed by a call center agent during a conversation with a customer**

(57) A method and apparatus are provided for presenting script to be followed by a telemarketer during a threaded conversation with a customer. The method includes the steps of recognizing a word content of a response of the customer to a first portion of the presented script and detecting key words and key words in context of the response. The method further includes the steps of evaluating the detected key words and key words in

context to determine an information content, comparing the information content of the evaluated words with an information content of a plurality of expected customer responses and selecting the expected customer response with a closest relative match and following a script associated with the selected expected customer response of the customer as a second portion of the presented script.

FIG. 1



(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 324 534 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
02.07.2003 Bulletin 2003/27

(51) Int Cl.7: **H04L 12/24**(21) Application number: **01130611.5**(22) Date of filing: **24.12.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

- Norris, Rob
Austin, Texas 78733 (US)
- Erickson, Charles R.
Cedar Park, Texas 78613 (US)
- Geith, Ahmed
Round Rock, Texas 78681 (US)

(71) Applicant: **Whisperwire, Inc.**
Austin, Texas 78759 (US)


(74) Representative:
Dreiss, Fuhlendorf, Steimle & Becker
Patentanwälte,
Postfach 10 37 62
70032 Stuttgart (DE)

(72) Inventors:
• Mancisidor, Rod
Austin, Texas 78728 (US)

(54) Expert system assisting agent and customer in determining an optimum network solution

(57) An expert system adapted data network guidance engine. The invention allows an agent to interact with a customer and to provide selection and recommendation of data network products and/or services for the customer. The invention allows for the use of agents of varying skill levels, including relatively low skill level, without suffering deleterious performance. The data network guidance engine is operable to perform generation and selection of configurations that are generated

using various heuristics. If desired, numerous iterations are performed within each of the heuristic operations. The data network guidance engine is operable to select recommended configurations from among a number of potential options. In addition, compatible configurations may also be identified. The data network guidance engine is one of the underlying engines within the expert system that allows the agent to provide real time interaction with a customer and to provide a real time recommended solution to that customer.

**Fig. 1**

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 424 844 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
02.06.2004 Bulletin 2004/23

(51) Int Cl.7: **H04M 3/51**, H04M 3/493,
G10L 15/18

(21) Application number: **02026249.9**

(22) Date of filing: **26.11.2002**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR**
Designated Extension States:
AL LT LV MK RO SI

• **Von Niederhaeusern, Hans**
3074 Muri b. Bern (CH)

(74) Representative: **Saam, Christophe**
Patents & Technology Surveys SA
Terreaux 7
Case postale 2848
2001 Neuchâtel (CH)

(71) Applicant: **Swisscom Fixnet AG**
3050 Bern (CH)

(72) Inventors:
• **Van Kommer, Robert**
1752 Villars-sur-Glâne (CH)

(54) Human fallback method and system for interactive voice response systems

(57) Method for determining when a human operator should make an intrusion in an incoming communication between a caller (1) and an interactive voice response system (34). The decision to make an intrusion depends on a plurality of parameters, including the com-

munication cost.

The speech recognition system uses a two-pass method; subsequently recognized speech elements are used for forcing the grammar used by the speech recognition module in a second pass.

Advantage: does not disadvantage remote users.





Fig. 1



(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:
05.01.2005 Bulletin 2005/01

(51) Int Cl.7: H04Q 11/04

(21) Application number: 04102315.1

(22) Date of filing: 26.05.2004

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PL PT RO SE SI SK TR
Designated Extension States:
AL HR LT LV MK

(72) Inventors:
• Horvitz, Eric J.
Kirkland, Washington 98033 (US)
• Paek, Timothy S.
Issaquah, Washington 98027 (US)

(30) Priority: 30.06.2003 US 610486

(74) Representative: Grünecker, Kinkeldey,
Stockmair & Schwanhäusser Anwaltssozietät
Maximilianstrasse 58
80538 München (DE)

(71) Applicant: MICROSOFT CORPORATION
Redmond, Washington 98052-6399 (US)

(54) Ideal transfer of call handling from automated systems to human operators

(57) The present invention relates to dynamic policies for transferring people from an automated or user-directed call handling system to a human operator, depending on considerations of the likelihood of the failure of the interaction with the call-handling system, predictions about the expected time or frustration associated with using the system, and the current load on human

operators. Systems and methods leverage probabilistic models of system and user behaviors built from logged data. A decision-theoretic analysis and corresponding models of ideal decisions about the transfer of calls from an automated system to a human operator are provided. The methods have application to a spectrum of call-handling systems including touch-tone and speech-recognition-based systems.




FIG. 1